

**Table 2.15**  
**Deceased Donor Organ Utilization, 1998 to 2007, Liver**

	Year									
	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total # Donors of Any Organ</b>	5,793	5,824	5,985	6,080	6,190	6,457	7,150	7,593	8,024	8,091
# Livers Recovered	4,843	4,947	4,997	5,106	5,294	5,682	6,319	6,693	7,017	6,942
ORPD (1)	0.84	0.85	0.83	0.84	0.86	0.88	0.88	0.88	0.87	0.86
# Livers Transplanted	4,349	4,425	4,505	4,598	4,893	5,263	5,777	6,040	6,310	6,158
OTPD (2)	0.75	0.76	0.75	0.76	0.79	0.82	0.81	0.80	0.79	0.76
% Transplanted	89.8%	89.4%	90.2%	90.1%	92.4%	92.6%	91.4%	90.2%	89.9%	88.7%
<b>Donor with Brain Death(DBD)</b>										
Total # Donors of Any Organ	5,718	5,737	5,868	5,912	6,001	6,189	6,759	7,029	7,379	7,298
# Livers Recovered	4,807	4,909	4,944	5,015	5,193	5,527	6,077	6,303	6,610	6,498
ORPD (1)	0.84	0.86	0.84	0.85	0.87	0.89	0.90	0.90	0.90	0.89
# Livers Transplanted	4,325	4,402	4,466	4,530	4,814	5,151	5,593	5,768	6,020	5,852
OTPD (2)	0.76	0.77	0.76	0.77	0.80	0.83	0.83	0.82	0.82	0.80
% Transplanted	90.0%	89.7%	90.3%	90.3%	92.7%	93.2%	92.0%	91.5%	91.1%	90.1%
<b>Donors After Cardiac Death(DCD)</b>										
Total # Donors of Any Organ	75	87	117	168	189	268	391	564	645	793
# Livers Recovered	36	38	53	91	101	155	242	390	407	444
ORPD (1)	0.48	0.44	0.45	0.54	0.53	0.58	0.62	0.69	0.63	0.56
# Livers Transplanted	24	23	39	68	79	112	184	272	290	306
OTPD (2)	0.32	0.26	0.33	0.40	0.42	0.42	0.47	0.48	0.45	0.39
% Transplanted	66.7%	60.5%	73.6%	74.7%	78.2%	72.3%	76.0%	69.7%	71.3%	68.9%
<b>Liver Donors</b>	4,843	4,947	4,997	5,106	5,294	5,682	6,319	6,693	7,017	6,942
<b>Liver Donors (%)</b>	83.6%	84.9%	83.5%	84.0%	85.5%	88.0%	88.4%	88.1%	87.5%	85.8%
<b>Liver Donors, Other Organs Recovered</b>										
Liver Only	273	275	321	377	382	532	655	699	680	666
Liver & Kidney or Pancreas Only	2,214	2,404	2,423	2,412	2,606	2,881	3,303	3,421	3,689	3,590
Liver & Intestine Only	6	4	5	4	3	5	6	5	2	4
Liver & Thoracic Only	76	79	73	70	71	84	80	102	91	85
Liver & Other Combinations	2,274	2,185	2,175	2,243	2,232	2,180	2,275	2,466	2,555	2,597
<b>Liver Donors, Other Organs Recovered (%)</b>										
Liver Only	5.6%	5.6%	6.4%	7.4%	7.2%	9.4%	10.4%	10.4%	9.7%	9.6%

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(1) ORPD: Organs Recovered Per Donor of any organ; (2) OTPD: Organs Transplanted Per Donor of any organ. Organs divided into segments (liver, lung, pancreas, intestine) are counted only once for that organ.

Includes organs recovered for transplant but not transplanted, as well as organs transplanted.

Donors are divided into two mutually exclusive and complete categories. DCDs include patients whose hearts have irreversibly stopped beating, and may also have been known as Non-Heart Beating Donors. DBDs have suffered brain death.

**Table 2.15 (Continued)**  
**Deceased Donor Organ Utilization, 1998 to 2007, Liver**

	Year									
	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Liver Donors, Other Organs Recovered (%)</b>										
Liver & Kidney or Pancreas Only	45.7%	48.6%	48.5%	47.2%	49.2%	50.7%	52.3%	51.1%	52.6%	51.7%
Liver & Intestine Only	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.0%	0.1%
Liver & Thoracic Only	1.6%	1.6%	1.5%	1.4%	1.3%	1.5%	1.3%	1.5%	1.3%	1.2%
Liver & Other Combinations	47.0%	44.2%	43.5%	43.9%	42.2%	38.4%	36.0%	36.8%	36.4%	37.4%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(1) ORPD: Organs Recovered Per Donor of any organ; (2) OTPD: Organs Transplanted Per Donor of any organ. Organs divided into segments (liver, lung, pancreas, intestine) are counted only once for that organ.

Includes organs recovered for transplant but not transplanted, as well as organs transplanted.

Donors are divided into two mutually exclusive and complete categories. DCDs include patients whose hearts have irreversibly stopped beating, and may also have been known as Non-Heart Beating Donors. DBDs have suffered brain death.